

mainestream

Specification Guide

maine storage & filing

March 2008

index

General Information	Page
(MKP) Maine Office Limited	1
Maine Advantages	3
Construction Details	5
Product Information	6-7
Quality Statement	9
Product Warranty	11
Environmental Policy Statement	13
Health & Safety Policy	15
Drawer, Tambour & 2 door Cupboard units	
2 high units – 682mm high, drawer units, tambours & cupboards	16
2.5 high units – 837mm high, drawer units, tambours & cupboards	17
3 high units – 992mm high, drawer units, tambours & cupboards	18-19
3.5 high units – 1147mm high, drawer units, tambours & cupboards	20-21
4 high units – 1302mm high, drawer units, tambours & cupboards	22-23
4.5 high units – 1457mm high, drawer units, tambours & cupboards	24-25
5 high units – 1674mm high, drawer units, tambours & cupboards	26-27
5.5 high units – 1829mm high, drawer units, tambours & cupboards	28-29
6 high units – 1984mm high, drawer units, tambours & cupboards	30-32
Internal Components	
Drawer Units	33
Tambour Units	34-36
Cupboard Units	37
Tops	38
Colour Options	40

(MKP) Maine Office Ltd

Maine is part of the Milton Keynes Pressings Group (MKP) which designs and manufactures prestigious and sophisticated storage and filing systems in Hertfordshire. The company's manufacturing facilities are accredited to BS EN ISO 9001: 2000 which is a reflection of Maine's dedicated approach to Quality.

Maine introduced the lateral file into the UK in 1985 with its Storwal brand, and now has the largest range of lateral files currently available, and have the ability to create internal configurations to satisfy any office storage requirement. Standard units can also be 'modified during manufacture' to meet individual personal storage needs precisely and any colour can be matched - even tonal shades and corporate colours.

mainstream is a modular range of lateral filing units consisting of drawer, tambour, cupboard and multi-units designed to meet the everyday needs of the general office user and combines Maine's high quality finish with functional design. Available in 5 standard widths and 9 standard heights Mainstream's modularity allows a mix of unit types to be ganged together.

Maine also offers clients a survey service to review their existing storage, filing and retrieval practices and to appraise alternative methods of document management. This is a service used by many major architectural practices and has proved invaluable in obtaining for their clients the most cost effective and space efficient storage and filing solution.

maine storage & filing

Maine Advantages

UK manufacture – ensures the fastest possible response, usually 4-5 weeks from order placement. The Kings Langley plant has 25,000 sq ft of production space, utilises the latest automotive industry production methods. Unlike our competitors who are ‘dedicated tooling’ based Maine’s tooling is designed to be infinitely flexible enabling us to change dimensions of parts quickly, allowing the manufacture of bespoke units. Maine has the most flexible manufacturing platform within the industry and is therefore able to offer faster than industry standard lead times.

Choices - With 5 widths, 9 heights and one standard depth this range of lateral filing units has been designed to accommodate the many different types of filing media used in today’s office environment.

Quality standards – Maine storage products are certified to the highest British Standard test for strength and stability: BS4875 part 7 test Level 4, ISO 7170 Test Level 4, BS 4875 Part 8 and BS 5459 Part 1 as well as BS EN14073-2: 2004, part 2, and drawer runners/glides BS EN14074: 2004 part 3 and BS 5459-3: 1983 by FIRA (Furniture Industry Research Association).

£100 million installed base – Maine have the largest installed base of lateral files in the UK and Europe and have clients in every sector of business.

Standard range product – both metric and imperial sizes enables compatibility with all furniture systems, flexibility in production scheduling and short lead-time response.

Colour choice – in addition to a comprehensive standard range of colours and finishes, any colour or finish can be matched – even tonal shades and corporate colours.

Capacities - Maine units are stringently tested to the highest performance levels and can accommodate the heaviest loading capacities - well in excess of figures quoted by major competitors

Manufacturer’s warranty – A 10 year warranty is offered as standard and underwrites both product quality and continuity of supply.

Construction Details

Designed and manufactured to Maine's high quality standard, the **mainstream** range uses the same material as our Series 31 range. Internal components are set at 155mm pitches and the shelves are adjustable at 15.5mm increments.

Basic Shells (carcasses)

Basic shells are manufactured from 1mm and 1.2mm steel and are fitted with 4 adjustable steel levelling glides with adjustment of up to +18mm in carcass height, and ganging pilot holes.

Doors/drawers

Drawer fronts are 1mm steel with a full length handle pull and combined label holder they also incorporate a 1mm steel liner and sound absorber.

Drawer body ends are 1.2mm steel and notched to accept adjustable hanging folder bars. Hinged doors are 1mm steel in a double-wall construction with a sound absorber and are equipped with self-closing hinges and a full-height handle.

Tambours

Side opening easi-glide tambours have inset handle and a full height magnetic closure strip.

Shelves

Blank shelves are 1mm steel, machine-formed to a 25mm thickness and are adjustable on 10mm increments within the basic shell.

Runners

The drawer runners are full extension precision ball bearing slides and are performance tested to ISO 7170, BS 5459 and BS 4875, on an 80,000 cycle with an 80kg load rating.

Accessories

Plate dividers are 1.2mm steel. Folder bars are 2.5mm steel designed with an offset for maximum strength.

Suspended filing frames and lateral folder bars are 2mm and 1.2mm steel, screw or clip mounted to the cabinet and can be used in tambour and behind hinged cupboard doors. Counter balance weights, recommended for stand-alone units less than 1023mm in height, are constructed from heavy-duty plate steel and can be retro-fitted

Stacking kits are available to enable one cabinet to be placed on top of another. Units to be stacked are pre-drilled during manufacture. Ganging kits are supplied as standard.

Product Information

Maine's product range also includes:

maineseries³¹ - The ultimate in flexibility with a range of lateral files and cupboard units in 59 heights and 5 widths. Which includes ultra high density drawer storage using a 1067mm wide carcass in heights of 1457 and 1550mm.

mainedesign - drawer and cupboard units, supplied without fronts in widths of 800 & 1000, a wide choice of heights all with the ability to have client fitted custom fronts and/or tops.

mainepedestals - including a slim line as well as conventional A4 width offering permutations of file, box, and pencil drawer options.

Finish

All metalwork undergoes a 3 Stage Iron Phosphate Pre-treatment System prior to the application of semi/full-gloss Epoxy Polyester Powder, applied by an automatic on-line Electro-static powder coating system. Colours can be chosen from the RAL colour range and any colour can be matched, even tonal shades and corporate colours.

Identification number

Every unit has a unique individual identification label with a fully traceable serial number (in accordance with ISO 9001). This label also carries the name and address of Maine and the individual inspection stamp identifying the person responsible for assembly. The serial number of each unit is recorded by Maine to afford full traceability for the customer needing information such as build specification, paint colour batch and key number.

Product Information

Safety

Maine units feature as standard a combined drawer runner/slide and anti-tilt mechanism. Situated on both rear corners of each drawer for added security and robust operation this system ensures that no more than one drawer can be opened at any time.

Storage Unit Loading Capacities

Maine storage units have been successfully tested by FIRA (The Furniture Industry Research Association) to the following tests for strength and stability: BS 4875: Part 7 Test level 4, ISO 7170: Test Level 4, BS 4875 Part 8 and BS 5459: Part 1.

In order to meet these test standards the following loads were applied to drawers and shelves housed within a standard carcass randomly picked from a normal production run.

The tests were run continuously to simulate a 80,000 cycle accelerated 10 year usage and in addition to loading, testing included stressing of the drawer runners and carcass uprights.

Unit width (mm)	800	900	914	1000	1067
Drawer loading (kg)	56	65	65	72	72
Shelf loading (kg)	63	72	72	79	79
Surface top loading (kg)	650	650	650	650	650

Testing

Maine products are tested initially in-house for design validation purposes. They then undergo stringent testing at the F.I.R.A. International UK testing laboratory in Stevenage to ensure they meet the applicable test requirements.

The Quality Statement

Maine designs, manufactures and supplies office storage and filing systems to the contract furniture market from manufacturing facilities in Hertfordshire.

Dedicated to a process of Continuous Improvement Maine have an established reputation in providing superior customer service and this is reflected in the company's quality accreditation to BS EN ISO 9001: 2000. The company is registered with National Quality Assurance Ltd, and holds certificate number 1083.

The Quality Management System is reviewed for effectiveness through regular management reviews, internal and external audits and if required, by the customers.

The Managing Director has the ultimate responsibility for quality within the organisation and in recognising the significance of an effective quality system has appointed a Management Representative to be responsible for all Quality System issues.

It is the objective of the organisation to provide product and service, which both satisfies the applicable statutory legal and regulatory requirements and exceeds customer expectations regarding quality, cost, performance and safety. This is achieved through our commitment to effective quality management throughout the company and the maintenance of the quality management system. The extent to which we are able to satisfy our customers needs can be measured by our continued success and the loyalty of our customers through the demand for repeat orders.

It is the responsibility of Senior Management to determine, review and improve the effectiveness of the organisations quality system and objectives as a function of the Management Review. We recognise that our continued success is attributable to the competence of our employees at all levels. We also recognise that the organisation has a duty to provide resources for the continued development of employee's skills.

All employees undergo a quality awareness program in order to be given an understanding of the importance of the quality policy in relation to their own job function and the organisation as a whole. It is company policy that all employees adhere to the agreed procedures and endeavour to maintain the highest level of quality at all times

Product Warranty

Maine warrants its **maine**stream storage products to be free from defects in material and workmanship, given normal usage and care, for 10 years.

During this warranty period Maine will, at its option, repair or replace free of charge any part or assembly found to be defective.

This warranty does not apply to damage resulting from accidents, misuse, neglect, installation or alteration to the product other than by Maine or an authorised Maine dealer, or the product not being used in accordance with the Maine installation and/or application and loading capacity guidelines.

The warranty is not transferable and terminates when a third party becomes entitled to use the product during the warranty period. Maine shall not be liable for incidental or consequential damages. In the unlikely event of needing to obtain the benefit of the warranty, contact Maine at the address shown on the latest literature published giving name, address and telephone number of the purchaser, unit serial number, general description of the product, details of defect and documentation supporting date of initial delivery.

No person, firm or corporation is authorised to assume for the company any liability connection with the sale of Maine products.

Specifications are subject to change without notice and the company reserves the right to modify and/or improve all products we offer for sale whilst maintaining design continuity.

The Maine warranty also implies continuity of supply for at least 10 years on all products and parts supplied.

Environmental Policy Statement

Maine operate a company Environmental Policy and Management System which complies with the essentials of ISO 14001: 1996

As a manufacturer and supplier of prestigious office storage and filing systems Maine acknowledge concern for the environment and believe it should be an integral part of its business philosophy.

We recognise that the pursuit of economic growth and a healthy environment must be closely linked and that ecological protection and sustainable development are collective responsibilities in which governments, business, individuals and communities all have a role to play.

The Management of Maine are committed to seeking to improve all company operations, which have an actual or potential impact on the environment and demonstrate this by:

Complying with and where possible exceeding the requirements of all relevant environmental legal and regulatory legislations. Where no legislations exist we will set our own high standards.

Implementing an effective environmental system.

Promoting environmental awareness of our staff, suppliers and customers and encourage their involvement in achieving our aims.

Developing products in such a way as to minimise their environmental impact in production, use and disposal.

Minimising discharges to air, water and land.

Replacing materials (where practicable), with those less environmentally damaging.

Minimising consumption of materials and energy in all operations. And the promotion of recycling and the use of recycled materials whenever possible.

Ensuring that future manufacturing processes are given due environmental consideration.

Ensuring raw materials and wastes are stored in such a manner as to prevent accidental release and are disposed of in the correct manner by the appropriate authorities.

Maintaining an open information policy and responding to the needs of all parties affected by our operations.

This environmental policy has been reviewed and endorsed by the Company's Management Team, who take full responsibility for the delivery of its aspirations.

Health and Safety Policy

The senior management of Maine recognise that health and safety is an integral part of the business and that maintaining the highest level of health and safety performance and conformance to legal requirements as a minimum requirement, encourages and maintains good co-operation and communication at all levels






It is our policy to provide all company employees, visitors and other parties affected by the company's activities with a safe and healthy working environment. This objective is consistently achieved at all levels through the operation of our Health and Safety Management System which meets the requirements of the Health and Safety at Work Act (1974) and to provide such information, training and supervision necessary to meet these requirements.

The allocation of company duties and the arrangements for maintaining a safe and healthy working environment are set out in the company's Health and Safety Policy Document. This is kept updated to reflect changes in the nature of the company's business and in current health and safety legislation by the company's Health and Safety Committee through monthly review.

To support this policy the company commits itself to make use of the advice available from specialists outside of the organisation to assist us in meeting our statutory obligations






The successful implementation of this policy requires commitment from all levels within the organisation. It is mandatory that every employee is aware of their own health and safety obligations and they safeguard their own and other people's safety by following the requirements of the Health and Safety Policy at all times.

This policy has been communicated to all employees and will be made available to any other interested parties on request.

UNIT HEIGHT - 682mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
2 HIGH - 2 DRAWER UNIT  2 x 310mm DRAWER 2 x FOLDER BARS	DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8020-2D	
		900	MS9020-2D	
		914	MS9120-2D	
		1000	MS1020-2D	
		1067	MS1120-2D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2 HIGH - 3 DRAWER UNIT  2 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BARS	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8020-3D	
		900	MS9020-3D	
		914	MS9120-3D	
		1000	MS1020-3D	
		1067	MS1120-3D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2 HIGH - 4 DRAWER UNIT  4 x 155mm DRAWER	DRAWER ACCEPTS 150-PD DIVIDERS LOCK FITTED AS STANDARD	800	MS8020-4D	
		900	MS9020-4D	
		914	MS9120-4D	
		1000	MS1020-4D	
		1067	MS1120-4D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2 HIGH - TAMBOUR UNIT  620mm 2 DOOR TAMBOUR	CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8020-T	
		900	MS9020-T	
		914	MS9120-T	
		1000	MS1020-T	
		1067	MS1120-T	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2 HIGH - CUPBOARD UNIT  620mm 2 DOOR CUPBOARD	CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8020-C	
		900	MS9020-C	
		914	MS9120-C	
		1000	MS1020-C	
		1067	MS1120-C	





INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY
 OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411



mainstream

UNIT HEIGHT - 837mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
2.5 HIGH - 3 DRAWER UNIT  1 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8025-3D	
		900	MS9025-3D	
		914	MS9125-3D	
		1000	MS1025-3D	
		1067	MS1125-3D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2.5 HIGH - 4 DRAWER UNIT  3 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BAR	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8025-4D	
		900	MS9025-4D	
		914	MS9125-4D	
		1000	MS1025-4D	
		1067	MS1125-4D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2.5 HIGH - 5 DRAWER UNIT  5 x 155mm DRAWER	DRAWER ACCEPTS 150-PD DIVIDERS LOCK FITTED AS STANDARD	800	MS8025-5D	
		900	MS9025-5D	
		914	MS9125-5D	
		1000	MS1025-5D	
		1067	MS1125-5D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2.5 HIGH - TAMBOUR UNIT  775mm 2 DOOR TAMBOUR	CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm LOCK FITTED AS STANDARD	800	MS8025-T	
		900	MS9025-T	
		914	MS9125-T	
		1000	MS1025-T	
		1067	MS1125-T	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
2.5 HIGH - CUPBOARD UNIT  775mm 2 DOOR CUPBOARD	CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm LOCK FITTED AS STANDARD	800	MS8025-C	
		900	MS9025-C	
		914	MS9125-C	
		1000	MS1025-C	
		1067	MS1125-C	





INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY
 OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411



mainstream

UNIT HEIGHT - 992mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
3 HIGH - 3 DRAWER UNIT  3 x 310mm DRAWER 3 x FOLDER BARS	DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE UP LOCK FITTED AS STANDARD	800	MS8030-3D	
		900	MS9030-3D	
		914	MS9130-3D	
		1000	MS1030-3D	
		1067	MS1130-3D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
3 HIGH - 4 DRAWER UNIT  2 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8030-4D	
		900	MS9030-4D	
		914	MS9130-4D	
		1000	MS1030-4D	
		1067	MS1130-4D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
3 HIGH - 5 DRAWER UNIT  4 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BAR	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8030-5D	
		900	MS9030-5D	
		914	MS9130-5D	
		1000	MS1030-5D	
		1067	MS1130-5D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	
3 HIGH - 6 DRAWER UNIT  6 x 155mm DRAWER	DRAWER ACCEPTS 150-PD DIVIDERS LOCK FITTED AS STANDARD	800	MS8030-6D	
		900	MS9030-6D	
		914	MS9130-6D	
		1000	MS1030-6D	
		1067	MS1130-6D	
OPTIONAL COUNTER BALANCE WEIGHT			LF-CBW	






UNIT HEIGHT - 992mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
3 HIGH - TAMBOUR UNIT  930mm 2 DOOR TAMBOUR	CAN ACCOMMODATE UP TO 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8030-T	
		900	MS9030-T	
		914	MS9130-T	
		1000	MS1030-T	
		1067	MS1130-T	
3 HIGH - CUPBOARD UNIT  930mm 2 DOOR CUPBOARD	CAN ACCOMMODATE UP TO 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8030-C	
		900	MS9030-C	
		914	MS9130-C	
		1000	MS1030-C	
		1067	MS1130-C	



INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY
 OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411

UNIT HEIGHT - 1147mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
3.5 HIGH - 4 DRAWER UNIT  <ul style="list-style-type: none"> 1 x 155mm DRAWER 3 x 310mm DRAWER 3 x FOLDER BARS 	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8035-4D	
		900	MS9035-4D	
		914	MS9135-4D	
		1000	MS1035-4D	
		1067	MS1135-4D	
3.5 HIGH - 5 DRAWER UNIT  <ul style="list-style-type: none"> 3 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS 	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8035-5D	
		900	MS9035-5D	
		914	MS9135-5D	
		1000	MS1035-5D	
		1067	MS1135-5D	
3.5 HIGH - 6 DRAWER UNIT  <ul style="list-style-type: none"> 5 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BAR 	DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCK FITTED AS STANDARD	800	MS8035-6D	
		900	MS9035-6D	
		914	MS9135-6D	
		1000	MS1035-6D	
		1067	MS1135-6D	
3.5 HIGH - 7 DRAWER UNIT  <ul style="list-style-type: none"> 7 x 155mm DRAWER 	DRAWER ACCEPTS 150-PD DIVIDERS LOCK FITTED AS STANDARD	800	MS8035-7D	
		900	MS9035-7D	
		914	MS9135-7D	
		1000	MS1035-7D	
		1067	MS1135-7D	

UNIT HEIGHT - 1147mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>3.5 HIGH - TAMBOUR UNIT</p>  <p>1085mm 2 DOOR TAMBOUR</p>	<p>CAN ACCOMMODATE UP TO 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8035-T	
		900	MS9035-T	
		914	MS9135-T	
		1000	MS1035-T	
		1067	MS1135-T	
		3.5 HIGH - CUPBOARD UNIT		
 <p>1085mm 2 DOOR CUPBOARD</p>	<p>CAN ACCOMMODATE UP TO 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8035-C	
		900	MS9035-C	
		914	MS9135-C	
		1000	MS1035-C	
		1067	MS1135-C	






INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY
 OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411



UNIT HEIGHT - 1302mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>4 HIGH - 4 DRAWER UNIT</p>  <p>4 x 310mm DRAWER 4 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8040-4D	
		900	MS9040-4D	
		914	MS9140-4D	
		1000	MS1040-4D	
		1067	MS1140-4D	
		<p>4 HIGH - 5 DRAWER UNIT</p>  <p>2 x 155mm DRAWER 3 x 310mm DRAWER 3 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800
900	MS9040-5D			
914	MS9140-5D			
1000	MS1040-5D			
1067	MS1140-5D			
<p>4 HIGH - 6 DRAWER UNIT</p>  <p>4 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>			800
		900	MS9040-6D	
		914	MS9140-6D	
		1000	MS1040-6D	
		1067	MS1140-6D	
		<p>4 HIGH - 7 DRAWER UNIT</p>  <p>6 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800
900	MS9040-7D			
914	MS9140-7D			
1000	MS1040-7D			
1067	MS1140-7D			
<p>4 HIGH - 8 DRAWER UNIT</p>  <p>8 x 155mm DRAWER</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS</p> <p>LOCK FITTED AS STANDARD</p>			800
		900	MS9040-8D	
		914	MS9140-8D	
		1000	MS1040-8D	
		1067	MS1140-8D	

UNIT HEIGHT - 1302mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>4 HIGH - TAMBOUR UNIT</p>  <p>1240mm 2 DOOR TAMBOUR</p>	<p>CAN ACCOMMODATE UP TO 4 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8040-T	
		900	MS9040-T	
		914	MS9140-T	
		1000	MS1040-T	
		1067	MS1140-T	
		4 HIGH - CUPBOARD UNIT		
 <p>1240mm 2 DOOR CUPBOARD</p>	<p>CAN ACCOMMODATE UP TO 4 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8040-C	
		900	MS9040-C	
		914	MS9140-C	
		1000	MS1040-C	
		1067	MS1140-C	

INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY





OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411



UNIT HEIGHT - 1457mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>4.5 HIGH - 5 DRAWER UNIT</p>  <p>1 x 155mm DRAWER 4 x 310mm DRAWER 4 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-5D	
		900	MS9045-5D	
		914	MS9145-5D	
		1000	MS1045-5D	
		1067	MS1145-5D	
<p>4.5 HIGH - 6 DRAWER UNIT</p>  <p>3 x 155mm DRAWER 3 x 310mm DRAWER 3 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-6D	
		900	MS9045-6D	
		914	MS9145-6D	
		1000	MS1045-6D	
		1067	MS1145-6D	
<p>4.5 HIGH - 7 DRAWER UNIT</p>  <p>5 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-7D	
		900	MS9045-7D	
		914	MS9145-7D	
		1000	MS1045-7D	
		1067	MS1145-7D	
<p>4.5 HIGH - 8 DRAWER UNIT</p>  <p>7 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BARS</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-8D	
		900	MS9045-8D	
		914	MS9145-8D	
		1000	MS1045-8D	
		1067	MS1145-8D	
<p>4.5 HIGH - 9 DRAWER UNIT</p>  <p>9 x 155mm DRAWER</p>	<p>DRAWER ACCEPTS 150-PD DIVIDERS</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-9D	
		900	MS9045-9D	
		914	MS9145-9D	
		1000	MS1045-9D	
		1067	MS1145-9D	

UNIT HEIGHT - 1457mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>4.5 HIGH - TAMBOUR UNIT</p>  <p>1395mm 2 DOOR TAMBOUR</p>	<p>CAN ACCOMMODATE UP TO 4 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-T	
		900	MS9045-T	
		914	MS9145-T	
		1000	MS1045-T	
		1067	MS1145-T	
		4.5 HIGH - CUPBOARD UNIT		
 <p>1395mm 2 DOOR CUPBOARD</p>	<p>CAN ACCOMMODATE UP TO 4 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>LOCK FITTED AS STANDARD</p>	800	MS8045-C	
		900	MS9045-C	
		914	MS9145-C	
		1000	MS1045-C	
		1067	MS1145-C	





INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY



OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411

UNIT HEIGHT - 1674mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
5 HIGH - 3 DRAWER MULTI-UNIT  <ul style="list-style-type: none"> 620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 3 x 310mm DRAWER 3 x FOLDER BARS 	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8052-3D20C	
		900	MS9052-3D20C	
		914	MS9152-3D20C	
		1000	MS1052-3D20C	
5 HIGH - 4 DRAWER MULTI-UNIT  <ul style="list-style-type: none"> 620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 2 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS 	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8052-4D20C	
		900	MS9052-4D20C	
		914	MS9152-4D20C	
		1000	MS1052-4D20C	
5 HIGH - 5 DRAWER MULTI-UNIT  <ul style="list-style-type: none"> 620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 4 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BAR 	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8052-5D20C	
		900	MS9052-5D20C	
		914	MS9152-5D20C	
		1000	MS1052-5D20C	
5 HIGH - 6 DRAWER MULTI-UNIT  <ul style="list-style-type: none"> 620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 6 x 155mm DRAWER 	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS LOCKS FITTED AS STANDARD	800	MS8052-6D20C	
		900	MS9052-6D20C	
		914	MS9152-6D20C	
		1000	MS1052-6D20C	

UNIT HEIGHT - 1674mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
5 HIGH - TAMBOUR UNIT  1612mm 2 DOOR TAMBOUR	CAN ACCOMMODATE UP TO 5 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8052-T	
		900	MS9052-T	
		914	MS9152-T	
		1000	MS1052-T	
5 HIGH - CUPBOARD UNIT  1612mm 2 DOOR CUPBOARD	CAN ACCOMMODATE UP TO 5 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8052-C	
		900	MS9052-C	
		914	MS9152-C	
		1000	MS1052-C	






INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY
 OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411

UNIT HEIGHT - 1829mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
5.5 HIGH - 3 DRAWER MULTI-UNIT  <p>775mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 3 x 310mm DRAWER 3 x FOLDER BARS</p>	<p>CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCKS FITTED AS STANDARD</p>	800	MS8057-3D25C	
		900	MS9057-3D25C	
		914	MS9157-3D25C	
		1000	MS1057-3D25C	
5.5 HIGH - 4 DRAWER MULTI-UNIT  <p>775mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 2 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS</p>	<p>CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCKS FITTED AS STANDARD</p>	800	MS8057-4D25C	
		900	MS9057-4D25C	
		914	MS9157-4D25C	
		1000	MS1057-4D25C	
5.5 HIGH - 5 DRAWER MULTI-UNIT  <p>775mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 4 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BARS</p>	<p>CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP LATERALLY or BINDERS SPINE-UP LOCKS FITTED AS STANDARD</p>	800	MS8057-5D25C	
		900	MS9057-5D25C	
		914	MS9157-5D25C	
		1000	MS1057-5D25C	
5.5 HIGH - 6 DRAWER MULTI-UNIT  <p>775mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 6 x 155mm DRAWER</p>	<p>CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS LOCKS FITTED AS STANDARD</p>	800	MS8057-6D25C	
		900	MS9057-6D25C	
		914	MS9157-6D25C	
		1000	MS1057-6D25C	



UNIT HEIGHT - 1829mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
<p>5.5 HIGH - TAMBOUR UNIT</p>  <p>1767mm 2 DOOR TAMBOUR</p>	<p>CAN ACCOMMODATE UP TO 5 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p>	800	MS8057-T	
		900	MS9057-T	
		914	MS9157-T	
		1000	MS1057-T	
LOCK FITTED AS STANDARD				
<p>5.5 HIGH - TAMBOUR UNIT</p>  <p>1767mm 2 DOOR TAMBOUR</p>	<p>CAN ACCOMMODATE UP TO 5 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 330mm</p>	800	MS8057-C	
		900	MS9057-C	
		914	MS9157-C	
		1000	MS1057-C	
LOCK FITTED AS STANDARD				

INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY

OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411






UNIT HEIGHT - 1984mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
6 HIGH - 4 DRAWER MULTI-UNIT  <p>620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 4 x 310mm DRAWER 4 x FOLDER BARS</p>	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8062-4D20C	
		900	MS9062-4D20C	
		914	MS9162-4D20C	
		1000	MS1062-4D20C	
6 HIGH - 5 DRAWER MULTI-UNIT  <p>620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 2 x 155mm DRAWER 3 x 310mm DRAWER 3 x FOLDER BARS</p>	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8062-5D20C	
		900	MS9062-5D20C	
		914	MS9162-5D20C	
		1000	MS1062-5D20C	
6 HIGH - 6 DRAWER MULTI-UNIT  <p>620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 4 x 155mm DRAWER 2 x 310mm DRAWER 2 x FOLDER BARS</p>	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8062-6D20C	
		900	MS9062-6D20C	
		914	MS9162-6D20C	
		1000	MS1062-6D20C	
6 HIGH - 7 DRAWER MULTI-UNIT  <p>620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 6 x 155mm DRAWER 1 x 310mm DRAWER 1 x FOLDER BARS</p>	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS DRAWER ACCEPTS 300-PD DIVIDERS FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP LOCKS FITTED AS STANDARD	800	MS8062-7D20C	
		900	MS9062-7D20C	
		914	MS9162-7D20C	
		1000	MS1062-7D20C	
6 HIGH - 8 DRAWER MULTI-UNIT  <p>620mm 2 DOOR CUPBOARD 62mm LOCKING FILLER 8 x 155mm DRAWER</p>	CUPBOARD CAN ACCOMMODATE 2 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm DRAWER ACCEPTS 150-PD DIVIDERS LOCKS FITTED AS STANDARD	800	MS8062-8D20C	
		900	MS9062-8D20C	
		914	MS9162-8D20C	
		1000	MS1062-8D20C	







UNIT HEIGHT - 1984mm UNIT DEPTH - 470mm					
DESCRIPTION		WIDTH	CODE		
<div style="display: flex; align-items: center;"> <div style="font-size: 8px;"> <p>930mm 2 DOOR CUPBOARD</p> <p>62mm LOCKING FILLER</p> <p>3 x 310mm DRAWER</p> <p>3 x FOLDER BARS</p> </div> </div>	<p>CUPBOARD CAN ACCOMMODATE 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>DRAWER ACCEPTS 300-PD DIVIDERS</p> <p>FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCKS FITTED AS STANDARD</p>	800	MS8062-3D30C		
		900	MS9062-3D30C		
		914	MS9162-3D30C		
		1000	MS1062-3D30C		
		<div style="display: flex; align-items: center;"> <div style="font-size: 8px;"> <p>930mm 2 DOOR CUPBOARD</p> <p>62mm LOCKING FILLER</p> <p>2 x 155mm DRAWER</p> <p>2 x 310mm DRAWER</p> <p>2 x FOLDER BARS</p> </div> </div>	<p>CUPBOARD CAN ACCOMMODATE 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS</p> <p>DRAWER ACCEPTS 300-PD DIVIDERS</p> <p>FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCKS FITTED AS STANDARD</p>	800	MS8062-4D30C
900	MS9062-4D30C				
914	MS9162-4D30C				
1000	MS1062-4D30C				
<div style="display: flex; align-items: center;"> <div style="font-size: 8px;"> <p>930mm 2 DOOR CUPBOARD</p> <p>62mm LOCKING FILLER</p> <p>4 x 155mm DRAWER</p> <p>1 x 310mm DRAWER</p> <p>1 x FOLDER BARS</p> </div> </div>	<p>CUPBOARD CAN ACCOMMODATE 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS</p> <p>DRAWER ACCEPTS 300-PD DIVIDERS</p> <p>FILES A4 or FOOLSCAP Laterally or BINDERS SPINE-UP</p> <p>LOCKS FITTED AS STANDARD</p>			800	MS8062-5D30C
		900	MS9062-5D30C		
		914	MS9162-5D30C		
		1000	MS1062-5D30C		
		<div style="display: flex; align-items: center;"> <div style="font-size: 8px;"> <p>930mm 2 DOOR CUPBOARD</p> <p>62mm LOCKING FILLER</p> <p>6 x 155mm DRAWER</p> </div> </div>	<p>CUPBOARD CAN ACCOMMODATE 3 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm</p> <p>DRAWER ACCEPTS 150-PD DIVIDERS</p> <p>LOCKS FITTED AS STANDARD</p>	800	MS8062-6D30C
900	MS9062-6D30C				
914	MS9162-6D30C				
1000	MS1062-6D30C				






UNIT HEIGHT - 1984mm UNIT DEPTH - 470mm				
DESCRIPTION		WIDTH	CODE	
6 HIGH - TAMBOUR UNIT  <p>1922mm 2 DOOR TAMBOUR</p>	CAN ACCOMMODATE UP TO 6 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8062-T	
		900	MS9062-T	
		914	MS9162-T	
		1000	MS1062-T	
6 HIGH - CUPBOARD UNIT  <p>1922mm 2 DOOR CUPBOARD</p>	CAN ACCOMMODATE UP TO 6 ROWS OF SHELVES OR LATERAL HANGING FILES UP TO 285mm LOCK FITTED AS STANDARD	800	MS8062-C	
		900	MS9062-C	
		914	MS9162-C	
		1000	MS1062-C	




INTERNAL ACCESSORIES ON TAMBOUR & CUPBOARD UNITS TO BE SPECIFIED SEPARATELY






OPEN FRONTED UNITS AVAILABLE - CONTACT CUSTOMER SERVICES t. 01923 260411




COMPONENTS & ACCESSORIES - DRAWER UNITS			
DESCRIPTION	WIDTH	CODE	
FOLDER BARS TYPE A  <p>SUPPLIED IN PAIRS FILES ONE ROW OF A4 OR FOOLSCAP IN DEEP DRAWERS</p>	800	MS-80-FBA	
	900	MS-90-FBA	
	914	MS-91-FBA	
	1000	MS-10-FBA	
	1067	MS-11-FBA	
FOLDER BARS TYPE F  <p>SUPPLIED IN PAIRS TWO BARS REQUIRED PER ROW OF FILING CONVERTS SIDE-TO-SIDE FILING TO FRONT-TO-BACK FILING IN DEEP DRAWERS</p>		MS-FBF	
PLATE DIVIDERS, DEEP DRAWER (set of 3) 		MS-300-PD	
PLATE DIVIDERS, SHALLOW DRAWER (set of 3) 		MS-150-PD	
COUNTERBALANCE WEIGHT  <p>RECOMMENDED FOR ALL FREE STANDING UNITS UP TO 992mm HIGH</p>		LF-CBW	

COMPONENTS & ACCESSORIES - TAMBOUR UNITS			
DESCRIPTION	WIDTH	CODE	
DEEP DRAWER  FOR USE BEHIND TAMBOUR DOORS, SUPPLIED EMPTY. ACCEPTS DEEP DRAWER DIVIDERS, FOLDER BAR TYPE A-T & FOLDER BARS TYPE F-T.	800	MS-8010-DR-T	
	900	MS-9010-DR-T	
	914	MS-9110-DR-T	
	1000	MS-1010-DR-T	
	1067	MS-1110-DR-T	
SHALLOW DRAWER  FOR USE BEHIND TAMBOUR DOORS, SUPPLIED EMPTY. ACCEPTS SHALLOW DRAWER DIVIDERS.	800	MS-8005-DR-T	
	900	MS-9005-DR-T	
	914	MS-9105-DR-T	
	1000	MS-1005-DR-T	
	1067	MS-1105-DR-T	
PLATE DIVIDERS, DEEP DRAWER (set of 3) 		MS-300-PD-T	
PLATE DIVIDERS, SHALLOW DRAWER (set of 3) 		MS-150-PD-T	
BLANK SHELF  FOR USE BEHIND TAMBOUR DOORS. ACCEPTS SHELF DIVIDERS.	800	MS-80-BS-T	
	900	MS-90-BS-T	
	914	MS-91-BS-T	
	1000	MS-10-BS-T	
	1067	MS-11-BS-T	
COMBINATION BLANK SHELF  FOR USE BEHIND TAMBOUR DOORS. ACCEPTS SHELF DIVIDERS.	800	MS-80-CBS-T	
	900	MS-90-CBS-T	
	914	MS-91-CBS-T	
	1000	MS-10-CBS-T	
	1067	MS-11-CBS-T	

COMPONENTS & ACCESSORIES - TAMBOUR UNITS			
DESCRIPTION	WIDTH	CODE	
<p>SHELF DIVIDERS (set of 2)</p>  <p>FOR USE WITH BOTH PLAIN AND COMBINATION SHELVES.</p>		MS-300-SD-T	
<p>FOLDER BARS TYPE J - T</p>  <p>FOR USE BEHIND TAMBOUR DOORS, FILES FRONT ACCESS HANGING POCKETS.</p>	800	MS-80-FBJ-T	
	900	MS-90-FBJ-T	
	914	MS-91-FBJ-T	
	1000	MS-10-FBJ-T	
	1067	MS-11-FBJ-T	
<p>POSTING SHELF</p>  <p>FOR USE BEHIND TAMBOUR DOORS.</p>	800	MS-80-PS-T	
	900	MS-90-PS-T	
	914	MS-91-PS-T	
	1000	MS-10-PS-T	
	1067	MS-11-PS-T	
<p>LATERAL PULL-OUT FILING FRAME</p>  <p>FOR USE BEHIND TAMBOUR DOORS. FILES FOOLSCAP SIDE-TO-SIDE.</p>	800	MS-80-FF-T	
	900	MS-90-FF-T	
	914	MS-91-FF-T	
	1000	MS-10-FF-T	
	1067	MS-11-FF-T	
<p>FOLDER BARS TYPE A - T</p>  <p>FOR USE IN DEEP DRAWER AND LATERAL PULL-OUT FILING FRAME. CONVERTS DEEP DRAWER INTO FILING DRAWER. CONVERTS FOOLSCAP FILING FRAME TO A4.</p>	800	MS-80-FBA-T	
	900	MS-90-FBA-T	
	914	MS-91-FBA-T	
	1000	MS-10-FBA-T	
	1067	MS-11-FBA-T	

COMPONENTS & ACCESSORIES - TAMBOUR UNITS			
DESCRIPTION	WIDTH	CODE	
FOLDER BARS TYPE F - T  <p>SUPPLIED IN PAIRS, TWO BARS REQUIRED PER ROW OF FILING. CONVERTS SIDE-TO-SIDE FILING TO FRONT-TO-BACK FILING IN DEEP DRAWERS AND LATERAL PULL-OUT FILING FRAME.</p>		MS-FBF-T	
COAT RAIL & SHELF  <p>FOR USE BEHIND TAMBOUR DOORS.</p>	800	MS-80-CR-T	
	900	MS-90-CR-T	
	914	MS-91-CR-T	
	1000	MS-10-CR-T	
	1067	MS-11-CR-T	
COUNTERBALANCE WEIGHT  <p>RECOMMENDED FOR ALL FREESTANDING TAMBOUR UNITS WITH ROLL-OUT COMPONENTS WHERE COMPONENTS ARE UNDER 992mm HIGH (eg 3 x DEEP DRAWERS)</p>		T-CBW	

COMPONENTS & ACCESSORIES - 2 DOOR CUPBOARDS & OPEN FRONT UNITS			
DESCRIPTION	WIDTH	CODE	
BLANK SHELF  FOR USE BEHIND CUPBOARD DOORS. ACCEPTS SHELF DIVIDERS.	800	MS-80-BS-C	
	900	MS-90-BS-C	
	914	MS-91-BS-C	
	1000	MS-10-BS-C	
	1067	MS-11-BS-C	
COMBINATION BLANK SHELF  FOR USE BEHIND CUPBOARD DOORS. ACCEPTS SHELF DIVIDERS.	800	MS-80-CBS-C	
	900	MS-90-CBS-C	
	914	MS-91-CBS-C	
	1000	MS-10-CBS-C	
	1067	MS-11-CBS-C	
SHELF DIVIDERS  FOR USE WITH BOTH PLAIN AND COMBINATION SHELVES.		MS-300-SD-C	
FOLDER BAR TYPE J - C  FOR USE BEHIND CUPBOARD DOORS. FILES FRONT ACCESS HANGING POCKETS.	800	MS-80-FBJ-C	
	900	MS-90-FBJ-C	
	914	MS-91-FBJ-C	
	1000	MS-10-FBJ-C	
	1067	MS-11-FBJ-C	
COAT RAIL & SHELF  FOR USE BEHIND CUPBOARD DOORS.	800	MS-80-CR-C	
	900	MS-90-CR-C	
	914	MS-91-CR-C	
	1000	MS-10-CR-C	
	1067	MS-11-CR-C	

COMPONENTS & ACCESSORIES - TOPS			
DESCRIPTION	WIDTH	CODE	
SLOPING TOP 	800	MS-80-ST	
	900	MS-90-ST	
	914	MS-91-ST	
	1000	MS-10-ST	
	1067	MS-11-ST	
CURVED TOP 	800	MS-80-CT	
	900	MS-90-CT	
	914	MS-91-CT	
	1000	MS-10-CT	
	1067	MS-11-CT	
DOMED TOP 	800	MS-80-DT	
	900	MS-90-DT	
	914	MS-91-DT	
	1000	MS-10-DT	
	1067	MS-11-DT	

FOR USE ON ALL **mainstream** UNITS

Colour Options

Drawer & Cupboard units

The price includes any colour from the RAL colour chart as long as your order is for 10 or more units of the same colour. Internal components and accessories painted black as standard can be co-ordinated to the unit – subject to an upcharge on order.

Tambour units

Standard colours for tambour shutters with matching carcass colours are:

- Black
- White
- Light Grey
- Anthracite Grey
- Light Ivory

Standard colours subject to an upcharge are:

- Silver 10%
- Beech 10%
- Oak 10%

Alternative colours for the tambour shutter can be specified. Our customer service department will advise any additional cost.

Customer services

01923 260411 sales@maine.co.uk

(MKP) Maine Office Ltd

Home Park, Kings Langley, Hertfordshire WD4 8LZ



(MKP) Maine Office Ltd

Home Park, Kings Langley, Hertfordshire WD4 8LZ

T. 01923 260411 F. 01923 265887

sales@maine.co.uk www.maine.co.uk

