



maine storage&filing





Introduction	5
Mainstream	6
Specification simplified	7 - 8
Colours, finishes	7
Ordering system Identification & coding	8
Complete storage units - listed by height	9 - 22
682mm drawers, tambours, cupboards	10
713mm drawers, tambours, cupboards	11
837mm drawers, tambours, cupboards	12
992mm drawers, tambours, cupboards	13
1085mm drawers, tambours, cupboards	14
1085mm & 992mm recycle units	15
1147mm drawers, tambours, cupboards	16
1302mm drawers, tambours, cupboards	17
1457mm drawers, tambours, cupboards	18
1674mm multi-units, tambours, cupboards	19
1829mm multi-units, tambours, cupboards	20
1984mm multi-units, tambours, cupboards	21 - 22
Internal components & accessories	23 - 29
Drawer units	24
Tambour units	25 - 27
Cupboard units	28
Tops	29
Storage capacities & filing services	30 - 38
Capacities for A4 filing	32
Capacities for fooscap filing	33
Drawer capacities	34 - 35
Vertical capacities	36
Filing clearance heights for drawers	37
Paper size	38
Information	39 - 44
Manufactured in the UK	40
Environmental & sustainable policies	41
Warranty & Quality Standards	42
Glossary	43
Contact details	44



Maine designs and manufactures prestigious and innovative storage and filing systems in their award-winning factory, in Buckinghamshire.

Maine introduced the lateral file to the UK in 1985 with the Storwal brand, which later became Maine's classic Maineseries31 range and modular Mainestream range. Maine has the largest range of lateral files available and with the ability to modify during manufacture, we can ensure to meet individual requirements precisely.

Maine work closely with designers to support innovation within the workplace. Intelligent storage solutions are formulated through experienced knowledge of retrieval practices and manufacture.

Maine are specified in both the Private and Public sectors including: Government offices, major banks, law practices, corporate and retail headquarters. In addition to smaller design-orientated workplaces, such as broadcasting studios and architect's own offices.

The Mainestream Specification Guide itemises all the complete units available within the Mainestream range, should additional sizes be required you may need to refer to our Maineseries31 Specification Guide. Do contact our sales team should you require any further information sales@maine.co.uk

A modular system

Mainstream is a modular range of filing units consisting of drawer, tambour, cupboard and multi-units. This modular range allows a mix of unit types to be ganged together to create a streamlined, stylish and efficient workspace.

Range of units

Mainstream is available in 5 standard widths and 11 standard heights, shelves are adjustable on 10mm increments. The complete range of units are on pages 9 - 28.

Transportable units

The strong, projection welded frame of Mainstream units enables them to be moved when fully laden.

Tambours

Tambour units are side opening with an easi-glide action, inset handle and a full magnetic closure strip. For colour options for tambour, drawer, cupboard units and multi-units see page 7.

Maineseries31 is a separate range by Maine and not in this guide
Lateral files and cupboard units in 59 heights and 5 widths .

Mainepure

The same wide range of units as Maineseries31 with a flush-fitting pull handle which also functions as a label holder.



Maine units can be specified in any colour including tonal shades and corporate colours. Colours can be specified from the palettes of BS, RAL, Pantone or Dulux Colour Dimensions as well as specialist paints including Hammerite, metallic, polychromatic and pearlescent finishes.

Drawers & cupboards

Maine's powder paint line uses the most contemporary technology to ensure a perfect finish. Metal swatches in the final colours and finishes are supplied to ensure a perfect match

Standard colours for tambour shutters with matching basic shells are:


Tambours

Black, White, Light Grey, Anthracite Grey and Light Ivory.

For an extra 10%, Silver, Beech or Oak can be specified.

If a different colour is required please contact customer services sales@maine.co.uk or call 01908 271688

Popular colours and inspiration from the RAL chart



Ordering system

The Mainstream units in this guide are listed together in heights as complete storage units. The heights are listed as a total height for the unit.

All parts within a Maine storage unit adhere to a numbering system. For complete storage units on pages 9 - 28, one code is allocated for a complete unit, in some cases with an extra code if an optional counter-balance weight is specified.

Identification

Every unit has a unique individual identification label with a fully traceable serial number (in accordance with ISO 9001). This label also carries the name and address of Maine Office and the individual inspection stamp identifying the person responsible for assembly. Maine record each serial number and can trace items such as, build specification paint colour batch.

Alphabetic coding





BS	Blank shelf	FF	Filing frame - tambours
CBS	Combination filing shelf	FI	File
CBW	Counter balance weight	L	Locking system
CR	Coat rod	MU	Multi unit
CT	Curved top	PD	Plate dividers
CU	Cupboard	RU	Recycle unit
DR	Drawer - standard	SD	Shelf dividers
DT	Dome top	ST	Sloping top
ESPL	Cupboard door lock	T-PS	62mm posting shelf
FB	Folder bar	TA	Tambour


Complete storage units - listed by height
Drawers, Tambours, Cupboards, Multi-units & Recycle units



complete storage units drawers, tambours & cupboards
682mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688




width	code		
800mm	MS8020-2D		<p>Drawers 2 x 310mm drawers - accepts 300-PD dividers 2 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9020-2D		
914mm	MS9120-2D		
1000mm	MS1020-2D		
1067mm	MS1120-2D		
800mm	MS8020-3D		<p>Drawers 2 x 155mm drawers - accepts 150-PD dividers 1 x 310mm drawer - accepts 300-PD dividers 1 x folder bar</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9020-3D		
914mm	MS9120-3D		
1000mm	MS1020-3D		
1067mm	MS1120-3D		
800mm	MS8020-T		<p>Tambour 620mm 2 door tambour</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9020-T		
914mm	MS9120-T		
1000mm	MS1020-T		
1067mm	MS1120-T		
800mm	MS8020-C		<p>Cupboard 620mm 2 door cupboard</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9020-C		
914mm	MS9120-C		
1000mm	MS1020-C		
1067mm	MS1120-C		


Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

drawers, tambours & cupboards complete storage units
713mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688





width	code		
800mm	MS8021-2D		<p>Drawers 1 x 310mm drawer - accepts 300-PD dividers 1 x 341mm drawer - accepts 300-PD dividers 2 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9021-2D		
914mm	MS9121-2D		
1000mm	MS1021-2D		
1067mm	MS1121-2D		
800mm	MS8021-T		<p>Tambour 651mm 2 door tambour</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9021-T		
914mm	MS9121-T		
1000mm	MS1021-T		
1067mm	MS1121-T		
800mm	MS8021-C		<p>Cupboard 651mm 2 door cupboard</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9021-C		
914mm	MS9121-C		
1000mm	MS1021-C		
1067mm	MS1121-C		


Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

complete storage units drawers, tambours & cupboards
837mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688





width	code			
800mm	MS8025-3D			<p>Drawers 1 x 155mm drawer - accepts 150-PD dividers 2 x 310mm drawers - accepts 300-PD dividers 2 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9025-3D			
914mm	MS9125-3D			
1000mm	MS1025-3D			
1067mm	MS1125-3D			
800mm	MS8025-4D			<p>Drawers 3 x 155mm drawers - accepts 150-PD dividers 1 x 310mm drawer - accepts 300-PD dividers 1 x folder bar</p> <p>Storage Files A4 or foolscap laterally or binders spine-</p>
900mm	MS9025-4D			
914mm	MS9125-4D			
1000mm	MS1025-4D			
1067mm	MS1125-4D			
800mm	MS8025-T			<p>Tambour 775mm 2 door tambour</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9025-T			
914mm	MS9125-T			
1000mm	MS1025-T			
1067mm	MS1125-T			
800mm	MS8025-C			<p>Cupboard 775mm 2 door cupboard</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9025-C			
914mm	MS9125-C			
1000mm	MS1025-C			
1067mm	MS1125-C			


Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

drawers, tambours & cupboards complete storage units
992mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688




width	code		
800mm	MS8030-3D		<p>Drawers 3 x 310mm drawers - accepts 300-PD dividers 3 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9030-3D		
914mm	MS9130-3D		
1000mm	MS1030-3D		
1067mm	MS1130-3D		
800mm	MS8030-4D		<p>Drawers 2 x 155mm drawers - accepts 150-PD dividers 2 x 310mm drawers - accepts 300-PD dividers 2 x folder bar</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9030-4D		
914mm	MS9130-4D		
1000mm	MS1030-4D		
1067mm	MS1130-4D		
800mm	MS8030-T		<p>Tambour 930mm 2 door tambour</p> <p>Can accommodate up to 3 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9030-T		
914mm	MS9130-T		
1000mm	MS1030-T		
1067mm	MS1130-T		
800mm	MS8030-C		<p>Cupboard 930mm 2 door cupboard</p> <p>Can accommodate 3 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9030-C		
914mm	MS9130-C		
1000mm	MS1030-C		
1067mm	MS1130-C		


Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard


complete storage units drawers, tambours & cupboards
 1085mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code		
800mm	MS8033-3D		<p>Drawers 3 x 341mm drawers - accepts 300-PD dividers 3 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9033-3D		
914mm	MS9133-3D		
1000mm	MS1033-3D		
1067mm	MS1133-3D		
800mm	MS8033-T		<p>Tambour 1023mm 2 door tambour</p> <p>Can accommodate up to 3 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9033-T		
914mm	MS9133-T		
1000mm	MS1033-T		
1067mm	MS1133-T		
800mm	MS8033-C		<p>Cupboard 1023mm 2 door cupboard</p> <p>Can accommodate up to 3 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9033-C		
914mm	MS9133-C		
1000mm	MS1033-C		
1067mm	MS1133-C		

Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

width	code	
800mm	MSREC8030	
900mm	MSREC9030	
914mm	MSREC9130	
1000mm	MSREC1030	
1067mm	MSREC1130	
		
800mm	MSREC8033	
900mm	MSREC9033	
914mm	MSREC9133	
1000mm	MSREC1033	
1067mm	MSREC1133	

Recycle unit - 992mm external height
2 postal slots
2 cupboard doors

Recycle unit - 1085mm height
2 postal slots
2 cupboard doors

Options for all Recycle units

Lettering

Logo


Partition

Bin 87 ltr Pt No. 31231 Each

Bin 54 ltr Pt No. 10001 Each

Bin 26 ltr Pt No. 31403 Each





Recommend 2 bins per unit


Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

complete storage units drawers, tambours & cupboards
1147mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code		
800mm	MS8035-4D		<p>Drawers 1 x 155mm drawer - accepts 150-PD dividers 3 x 310mm drawers - accepts 300-PD dividers 3 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-</p>
900mm	MS9035-4D		
914mm	MS9135-4D		
1000mm	MS1035-4D		
1067mm	MS1135-4D		
800mm	MS8035-5D		<p>Drawers 3 x 155mm drawers - accepts 150-PD dividers 2 x 310mm drawers - accepts 300-PD dividers 2 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-</p>
900mm	MS9035-5D		
914mm	MS9135-5D		
1000mm	MS1035-5D		
1067mm	MS1135-5D		
800mm	MS8035-T		<p>Tambour 1085mm 2 door tambour</p> <p>Can accommodate up to 3 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9035-T		
914mm	MS9135-T		
1000mm	MS1035-T		
1067mm	MS1135-T		
800mm	MS8035-C		<p>Cupboard 1085mm 2 door cupboard</p> <p>Can accommodate 3 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9035-C		
914mm	MS9135-C		
1000mm	MS1035-C		
1067mm	MS1135-C		

Counter balance weight	Code		Recommended for drawer units under 1147mm high
	LF-CBW		

Lock - fitted as standard

drawers, tambours & cupboards complete storage units
1302mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code
800mm	MS8040-4D
900mm	MS9040-4D
914mm	MS9140-4D
1000mm	MS1040-4D
1067mm	MS1140-4D



Drawers

4 x 310mm drawers - accepts 300-PD dividers
4 x folder bars

Storage

Files A4 or foolscap laterally or binders spine-up

800mm	MS8040-5D
900mm	MS9040-5D
914mm	MS9140-5D
1000mm	MS1040-5D
1067mm	MS1140-5D



Drawers

2 x 155mm drawers - accepts 150-PD dividers
3 x 310mm drawers - accepts 300-PD dividers
3 x folder bars

Storage

Files A4 or foolscap laterally or binders spine-up

800mm	MS8040-6D
900mm	MS9040-6D
914mm	MS9140-6D
1000mm	MS1040-6D
1067mm	MS1140-6D



Drawers

4 x 155mm drawers - accepts 150-PD dividers
2 x 310mm drawers - accepts 300-PD dividers
2 x folder bars

Storage

Files A4 or foolscap laterally or binders spine-up

800mm	MS8040-T
900mm	MS9040-T
914mm	MS9140-T
1000mm	MS1040-T
1067mm	MS1140-T




Tambour

1240mm 2 door tambour

Can accommodate up to 4 rows of shelves
or lateral hanging files up to 285mm

800mm	MS8040-C
900mm	MS9040-C
914mm	MS9140-C
1000mm	MS1040-C
1067mm	MS1140-C



Cupboard






1240mm 2 door cupboard

Can accommodate 4 rows of shelves
or lateral hanging files up to 285mm

Lock - fitted as standard

complete storage units drawers, tambours & cupboards
1457mm external height x 470mm depth





Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code		
800mm	MS8045-5D		<p>Drawers 1 x 155mm drawer - accepts 150-PD dividers 4 x 310mm drawers - accepts 300-PD dividers 4 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9045-5D		
914mm	MS9145-5D		
1000mm	MS1045-5D		
1067mm	MS1145-5D		
800mm	MS8045-6D		<p>Drawers 3 x 155mm drawers - accepts 150-PD dividers 3 x 310mm drawers - accepts 300-PD dividers 3 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9045-6D		
914mm	MS9145-6D		
1000mm	MS1045-6D		
1067mm	MS1145-6D		
800mm	MS8045-7D		<p>Drawers 5 x 155mm drawers - accepts 150-PD dividers 2 x 310mm drawers - accepts 300-PD dividers 2 x folder bars</p> <p>Storage Files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9045-7D		
914mm	MS9145-7D		
1000mm	MS1045-7D		
1067mm	MS1145-7D		
800mm	MS8045-T		<p>Tambour 1395mm 2 door tambour</p> <p>Can accommodate 4 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9045-T		
914mm	MS9145-T		
1000mm	MS1045-T		
1067mm	MS1145-T		
800mm	MS8045-C		<p>Cupboard 1395mm 2 door cupboard</p> <p>Can accommodate 4 rows of shelves or lateral hanging files up to 330mm</p>
900mm	MS9045-C		
914mm	MS9145-C		
1000mm	MS1045-C		
1067mm	MS1145-C		

Lock - fitted as standard

multi-units, tambours & cupboards complete storage units
1674mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688


width	code		
800mm	MS8052-3D20C		<p>Cupboard (2 door - 620mm) 62mm locking filler</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (3 x 310mm) - accepts 300-PD dividers 3 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9052-3D20C		
914mm	MS9152-3D20C		
1000mm	MS1052-3D20C		
800mm	MS8052-4D20C		<p>Cupboard (2 door - 620mm) 62mm locking filler</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (2 x 155mm) - accepts 150-PD dividers (2 x 310mm) - accepts 300 PD- dividers, 2 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9052-4D20C		
914mm	MS9152-4D20C		
1000mm	MS1052-4D20C		
800mm	MS8052-T		<p>Tambour</p> <p>1612mm 2 door tambour</p> <p>Can accommodate 5 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9052-T		
914mm	MS9152-T		
1000mm	MS1052-T		
800mm	MS8052-C		<p>Cupboard</p> <p>1612mm 2 door cupboard</p> <p>Can accommodate 5 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9052-C		
914mm	MS9152-C		
1000mm	MS1052-C		

Lock - fitted as standard

complete storage units multi-units, tambours & cupboards
1829mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code
800mm	MS8057-3D25C
900mm	MS9057-3D25C
914mm	MS9157-3D25C
1000mm	MS1057-3D25C




Cupboard (2 door - 775mm) 62mm locking filler

Can accommodate 2 rows of shelves or lateral hanging files up to 310mm

**Drawers (3 x 310mm) - accepts 300-PD dividers
3 x folder bars**

**Storage - files A4 or foolscap laterally
or binders spine-up spine-up**

800mm	MS8057-4D25C
900mm	MS9057-4D25C
914mm	MS9157-4D25C
1000mm	MS1057-4D25C




Cupboard (2 door - 775mm) 62mm locking filler

Can accommodate 2 rows of shelves or lateral hanging files up to 310mm

**Drawers (2 x 155mm) - accepts 150-PD dividers
(2 x 310mm) - accepts 300 PD- dividers,
2 x folder bars**

**Storage - files A4 or foolscap laterally
or binders spine-up**

800mm	MS8057-T
900mm	MS9057-T
914mm	MS9157-T
1000mm	MS1057-T




Tambour

1767mm 2 door tambour

Can accommodate 5 rows of shelves
or lateral hanging files up to 330mm

800mm	MS8057-C
900mm	MS9057-C
914mm	MS9157-C
1000mm	MS1057-C






Cupboard

1767mm 2 door cupboard

Can accommodate 5 rows of shelves
or lateral hanging files up to 330mm

Lock - fitted as standard

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688





width	code		
800mm	MS8062-4D20C		<p>Cupboard (2 door - 620mm) 62mm locking filler</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (4 x 310mm) - accepts 300-PD dividers 4 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up spine-up</p>
900mm	MS9062-4D20C		
914mm	MS9162-4D20C		
1000mm	MS1062-4D20C		
800mm	MS8062-5D20C		<p>Cupboard (2 door - 620mm) 62mm locking filler</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (2 x 155mm) - accepts 150-PD dividers (3 x 310mm) - accepts 300 PD- dividers, 3 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9062-5D20C		
914mm	MS9162-5D20C		
1000mm	MS1062-5D20C		
800mm	MS8062-6D20C		<p>Cupboard (2 door - 620mm) 62mm locking filler</p> <p>Can accommodate 2 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (4 x 155mm) - accepts 150-PD dividers (2 x 310mm) - accepts 300 PD- dividers, 2 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9062-6D20C		
914mm	MS9162-6D20C		
1000mm	MS1062-6D20C		

1984mm height units continued on next page

Lock - fitted as standard

complete storage units multi-units, tambours & cupboards
1984mm external height x 470mm depth

Internal accessories for tambour and cupboard units to be specified separately. Open fronted units available contact Customer Services sales@maine.co.uk or call 01908 271688

width	code		
800mm	MS8062-3D30C		<p>Cupboard (2 door - 930mm) 62mm locking filler</p> <p>Can accommodate 3 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (3 x 310mm) - accepts 300-PD dividers 4 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up spine-up</p>
900mm	MS9062-3D30C		
914mm	MS9162-3D30C		
1000mm	MS1062-3D30C		
800mm	MS8062-4D30C		<p>Cupboard (2 door - 930mm) 62mm locking filler</p> <p>Can accommodate 3 rows of shelves or lateral hanging files up to 285mm</p> <p>Drawers (2 x 155mm) - accepts 150-PD dividers (2 x 310mm) - accepts 300 PD- dividers, 2 x folder bars</p> <p>Storage - files A4 or foolscap laterally or binders spine-up</p>
900mm	MS9062-4D30C		
914mm	MS9162-4D30C		
1000mm	MS1062-4D30C		
800mm	MS8062-T		<p>Tambour</p> <p>1922mm 2 door tambour</p> <p>Can accommodate 6 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9062-T		
914mm	MS9162-T		
1000mm	MS1062-T		
800mm	MS8062-C		<p>Cupboard</p> <p>1922mm 2 door cupboard</p> <p>Can accommodate 6 rows of shelves or lateral hanging files up to 285mm</p>
900mm	MS9062-C		
914mm	MS9162-C		
1000mm	MS1062-C		

Lock - fitted as standard






Drawer units







Tambour units






Cupboard units




Tops








 <p>Folder bars type 'A' Supplied in pairs Files one row of A4 or foolscap in deep drawers</p>	<table border="1"> <thead> <tr> <th>width</th> <th>code</th> </tr> </thead> <tbody> <tr> <td>800mm</td> <td>MS-80-FBA</td> </tr> <tr> <td>900mm</td> <td>MS-90-FBA</td> </tr> <tr> <td>914mm</td> <td>MS-91-FBA</td> </tr> <tr> <td>1000mm</td> <td>MS-10-FBA</td> </tr> <tr> <td>1067mm</td> <td>MS-11-FBA</td> </tr> </tbody> </table>	width	code	800mm	MS-80-FBA	900mm	MS-90-FBA	914mm	MS-91-FBA	1000mm	MS-10-FBA	1067mm	MS-11-FBA
width	code												
800mm	MS-80-FBA												
900mm	MS-90-FBA												
914mm	MS-91-FBA												
1000mm	MS-10-FBA												
1067mm	MS-11-FBA												
 <p>Folder bars type 'F' Supplied in pairs Two bars required per row of filing Converts side-to-side filing to front-to-back filing in deep drawers</p>	<table border="1"> <tbody> <tr> <td></td> <td>MS-FBF</td> </tr> </tbody> </table>		MS-FBF										
	MS-FBF												
 <p>Plate dividers, deep drawer (set of 3)</p>	<table border="1"> <tbody> <tr> <td></td> <td>MS-300-PD</td> </tr> </tbody> </table>		MS-300-PD										
	MS-300-PD												
 <p>Plate dividers, shallow drawer (set of 3)</p>	<table border="1"> <tbody> <tr> <td></td> <td>MS-150-PD</td> </tr> </tbody> </table>		MS-150-PD										
	MS-150-PD												
 <p>Counter balance weight</p>	<table border="1"> <tbody> <tr> <td></td> <td>LF-CBW</td> </tr> </tbody> </table>		LF-CBW										
	LF-CBW												




 <p>Deep drawer For use behind Tambour doors, supplied empty Accepts deep drawer dividers, folder bar type A-T & folder bars type F-T</p>	width	code
	800mm	MS-8010-DR-T
	900mm	MS-9010-DR-T
	914mm	MS-9110-DR-T
	1000mm	MS-1010-DR-T
	1067mm	MS-1110-DR-T
 <p>Shallow drawer For use behind Tambour doors, supplied empty Accepts shallow drawer dividers</p>	800mm	MS-8005-DR-T
	900mm	MS-9005-DR-T
	914mm	MS-9105-DR-T
	1000mm	MS-1005-DR-T
	1067mm	MS-1105-DR-T
		MS-300-PD
 <p>Plate dividers, deep drawer (set of 3)</p>		
		MS-150-PD
 <p>Plate dividers, shallow drawer (set of 3)</p>		
 <p>Blank shelf For use behind tambour doors Accepts shelf dividers</p>	800mm	MS-80-BS-T
	900mm	MS-90-BS-T
	914mm	MS-91-BS-T
	1000mm	MS-10-BS-T
	1067mm	MS-11-BS-T
 <p>Combination blank shelf For use behind tambour doors Accepts shelf dividers</p>	800mm	MS-80-CBS-T
	900mm	MS-90-CBS-T
	914mm	MS-91-CBS-T
	1000mm	MS-10-CBS-T
	1067mm	MS-11-CBS-T

 <p>Shelf dividers (set of 2) For use with both plain and combination shelves</p>	width	code
		MS-300-SD-T
 <p>Folder bars type J-T For use behind Tambour doors Files front access hanging pockets</p>	800mm	MS-80-FBJ-T
	900mm	MS-90-FBJ-T
	914mm	MS-91-FBJ-T
	1000mm	MS-10-FBJ-T
	1067mm	MS-11-FBJ-T
 <p>Posting shelf For use behind Tambour doors</p>	800mm	MS-80-PS-T
	900mm	MS-90-PS-T
	914mm	MS-91-PS-T
	1000mm	MS-10-PS-T
	1067mm	MS-11-PS-T
 <p>Lateral pull-out filing frame For use behind Tambour doors Files foolscap side-to-side</p>	800mm	MS-80-FF-T
	900mm	MS-90-FF-T
	914mm	MS-91-FF-T
	1000mm	MS-10-FF-T
	1067mm	MS-11-FF-T
 <p>Folder bars type A-T For use in deep drawer and lateral pull-out filing frame Converts foolscap filing frame to A4</p>	800mm	MS-80-FBA-T
	900mm	MS-90-FBA-T
	914mm	MS-91-FBA-T
	1000mm	MS-10-FBA-T
	1067mm	MS-11-FBA-T

 <p>Folder bars F-T Supplied in pairs, two bars required per row of filing Converts side-to-side filing to front-to-back filing in deep drawers and lateral pull-out filing frame</p>	<table border="1"> <thead> <tr> <th>width</th> <th>code</th> </tr> </thead> <tbody> <tr> <td></td> <td>MS-FBF-T</td> </tr> </tbody> </table>	width	code		MS-FBF-T						
width	code										
	MS-FBF-T										
 <p>Coat rail & shelf For use behind Tambour doors</p>	<table border="1"> <tbody> <tr> <td>800mm</td> <td>MS-80-CR-T</td> </tr> <tr> <td>900mm</td> <td>MS-90-CR-T</td> </tr> <tr> <td>914mm</td> <td>MS-91-CR-T</td> </tr> <tr> <td>1000mm</td> <td>MS-10-CR-T</td> </tr> <tr> <td>1067mm</td> <td>MS-11-CR-T</td> </tr> </tbody> </table>	800mm	MS-80-CR-T	900mm	MS-90-CR-T	914mm	MS-91-CR-T	1000mm	MS-10-CR-T	1067mm	MS-11-CR-T
800mm	MS-80-CR-T										
900mm	MS-90-CR-T										
914mm	MS-91-CR-T										
1000mm	MS-10-CR-T										
1067mm	MS-11-CR-T										
 <p>Counterbalance weight Recommended for all freestanding Tambour units with roll-out components if components are under 1147mm high (eg. 3 x deep drawers)</p>	<table border="1"> <tbody> <tr> <td></td> <td>T-CBW</td> </tr> </tbody> </table>		T-CBW								
	T-CBW										

 <p>Blank shelf For use behind Cupboard doors Accepts shelf dividers</p>	width	code	
	800mm	MS-80-BS-C	
	900mm	MS-90-BS-C	
	914mm	MS-91-BS-C	
	1000mm	MS-10-BS-C	
	1067mm	MS-11-BS-C	
 <p>Combination blank shelf For use behind Cupboard doors Accepts shelf dividers</p>	800mm	MS-80-CBS-C	
	900mm	MS-90-CBS-C	
	914mm	MS-91-CBS-C	
	1000mm	MS-10-CBS-C	
	1067mm	MS-11-CBS-C	
 <p>Shelf dividers (set of 2) For use with both plain and combination shelves</p>		MS-300-SD-C	
 <p>Folder bar type J-C For use behind Cupboard doors Files front access hanging pockets</p>	800mm	MS-80-FBJ-C	
	900mm	MS-90-FBJ-C	
	914mm	MS-91-FBJ-C	
	1000mm	MS-10-FBJ-C	
	1067mm	MS-11-FBJ-C	
 <p>Coat rail & shelf For use behind Cupboard doors</p>	800mm	MS-80-CR-C	
	900mm	MS-90-CR-C	
	914mm	MS-91-CR-C	
	1000mm	MS-10-CR-C	
	1067mm	MS-11-CR-C	

For use on all Mainstream units

	width	code	
 <p>Sloping top</p>	800mm	MS-80-ST	
	900mm	MS-90-ST	
	914mm	MS-91-ST	
	1000mm	MS-10-ST	
	1067mm	MS-11-ST	
	 <p>Curved top</p>	800mm	MS-80-CT
900mm		MS-90-CT	
914mm		MS-91-CT	
1000mm		MS-10-CT	
1067mm		MS-11-CT	
 <p>Domed top</p>		800mm	MS-80-DT
	900mm	MS-90-DT	
	914mm	MS-91-DT	
	1000mm	MS-10-DT	
	1067mm	MS-11-DT	

Maine has an experienced, storage and filing team, who can undertake a detailed filing and retrieval audit. A full review of document management and media storage and filing is analysed. This service is utilised by architectural practices, designers and clients in order to create the most efficient and cost effective storage and filing solution.

Maine's modular design allows for units to be ganged and stacked together across all their product ranges, this can create an effective and efficient use of space.

Maine's units can accommodate heavy loading capacities, in excess of figures quoted by major competitors. Maine units are tested to the highest performance levels.

Capacities for A4 filing

Capacities for foolscap filing

Multi-media filing


Drawer capacities






Vertical capacities






Filing clearance heights

Paper sizes


Filing & retrieval





	width	800mm	bars
	side-to-side filing	718mm	80-FBA
	width	900mm	bars
	side-to-side filing	818mm	90-FBA
	width	914mm	bars
	side-to-side filing	832mm	91-FBA
	width	1000mm	bars
	side-to-side filing	918mm	10-FBA
	width	1067mm	bars
	side-to-side filing	985mm	11-FBA


	width	800mm	bars
	side-to-side filing	718mm	80-FBA
	width	900mm	bars
	side-to-side filing	818mm	90-FBA
	width	914mm	bars
	side-to-side filing	832mm	91-FBA
	width	1000mm	bars
	side-to-side filing	918mm	10-FBA
	width	1067mm	bars
	side-to-side filing	985mm	11-FBA

Media size may vary between manufacturers


 <p>CD filing Media size 125mm (width) x 143mm (height) x 10mm (depth) Capacities are for 155mm drawers</p>	unit width	A4 lever arch per shelf
	800mm	5 rows - 195
	900mm	5 rows - 195
	914mm	6 rows - 234
	1000mm	7 rows - 273
	1067mm	7 rows - 273


 <p>DVD filing Media size 190mm (width) x 105mm (height) x 15mm (depth) Capacities are for 155mm drawers</p>	unit width	dvd capacity
	800mm	3 rows - 78
	900mm	3 rows - 78
	914mm	4 rows - 104
	1000mm	4 rows - 104
	1067mm	5 rows - 130


 <p>Video filing Media size 190mm (width) x 105mm (height) x 27mm (depth) Capacities are for 155mm drawers</p>	unit width	video capacity
	800mm	3 rows - 42
	900mm	3 rows - 42
	914mm	4 rows - 56
	1000mm	4 rows - 56
	1067mm	5 rows - 70


 <p>Top access box filing Media size 323mm (width) x 220mm (height) x 95mm (depth) Capacities are for 310mm drawers</p>	unit width	top access box capacity
	800mm	2 rows - 8
	900mm	2 rows - 8
	914mm	2 rows - 8
	1000mm	2 rows - 8
	1067mm	3 rows - 12

Media size may vary between manufacturers


 <p>A4 lever arch Media size 290mm (width) x 317mm (height) x 75mm (depth) Capacities are for 310mm drawers</p>	drawer width	A4 lever arch capacity
	800mm	1 row - 9
	900mm	1 row - 10
	914mm	1 row - 11
	1000mm	1 row - 12
	1067mm	1 row - 13


 <p>Foolscap lever arch Media size 290mm (width) x 350mm (height) x 75mm (depth) Capacities are for 310mm drawers</p>	drawer width	foolscap lever arch capacity
	800mm	1 row - 9
	900mm	1 row - 10
	914mm	1 row - 11
	1000mm	1 row - 12
	1067mm	1 row - 13


 <p>A4 box file Media size 265mm (width) x 337mm (height) x 75mm (depth) Capacities are for 310mm drawers</p>	drawer width	A4 box file capacity
	800mm	1 row - 9
	900mm	1 row - 10
	914mm	1 row - 11
	1000mm	1 row - 12
	1067mm	1 row - 13


 <p>Foolscap box file Media size 265mm (width) x 370mm (height) x 75mm (depth) Capacities are for 310mm drawers</p>	drawer width	foolscap box file capacity
	800mm	1 row - 9
	900mm	1 row - 10
	914mm	1 row - 11
	1000mm	1 row - 12
	1067mm	1 row - 13

Media size may vary between manufacturers

 <p>A4 lever arch Media size 290mm (width) x 317mm (height) x 75mm (depth)</p>	unit width	A4 lever arch per shelf
	800mm	10
	900mm	11
	914mm	11
	1000mm	12
	1067mm	13

 <p>Foolscap lever arch Media size 290mm (width) x 350mm (height) x 75mm (depth)</p>	unit width	foolscap lever arch per shelf
	800mm	10
	900mm	11
	914mm	11
	1000mm	12
	1067mm	13


 <p>A4 box file Media size 265mm (width) x 337mm (height) x 75mm (depth)</p>	unit width	A4 box file per shelf
	800mm	10
	900mm	11
	914mm	11
	1000mm	12
	1067mm	13


 <p>Foolscap box file Media size 265mm (width) x 370mm (height) x 75mm (depth)</p>	foolscap box file per shelf	
	800mm	10
	900mm	11
	914mm	11
	1000mm	12
	1067mm	13


Drawers


Drawer height	155mm	310mm	341mm	
Vertical clearance height	145mm	294mm	325mm	

1 inch = 2.54cm 1cm = 0.3937 inch

 <p>European paper</p>	European paper type	size
	A6	105mm x 148mm
	A5	148mm x 210mm
	A4	210mm x 297mm
	A3	297mm x 420mm
	A2	420mm x 594mm
	A1	594mm x 841mm
	A0	841mm x 1189mm
	Foolscap	210mm x 330mm

 <p>European envelope</p>	European envelope type	size
	C4 Holds an A4 sheet unfolded	229mm x 324mm
	C5 Holds an A4 sheet folded twice or an A5 sheet unfolded	162mm x 229mm
	DL Holds an A4 sheet folded twice or an A5 sheet folded once	110mm x 220mm

 <p>US paper</p>	US paper type	size
	Junior legal	127mm x 203mm
	Executive	190mm x 254mm
	Letter	216mm x 279mm
	Legal	216mm x 356mm
	Ledger / tabloid	279mm x 432mm

 <p>US envelope</p>	US envelope type	size
	No 9	98mm x 225mm
	No 10	105mm x 241mm
	No 14	127mm x 292mm

Manufactured in the UK

Environmental & Sustainable Policies

Warranty & Quality standards


Glossary

Contact details

Maine Storage & Filing is owned by Milton Keynes Pressings Ltd (MKP), based in Bletchley, Buckinghamshire. MKP is a globally respected manufacturer renowned for their high profile first-tier automotive contracts with General Motors, Aston Martin and Bentley, winning the Queen's award for Export in 2001.

The Bletchley plant has 80,000 sq ft of production space and uses the most advanced industry production methods and latest technology, such as laser cutting equipment, which creates the flexibility to change dimensions of parts quickly. Maine has one of the most flexible manufacturing processes in the industry and can deliver products faster than standard industry lead times.

Maine has a continuous programme of improvement and innovation not only in manufacturing excellence and product design but also in their commitment to the environment.



Maine are dedicated to the process of environmental improvement and responsibility and this is reflected in the company's environmental certification BS EN ISO 14001: 2004 Environmental Management System. Maine are registered with BSI and have recently worked with the carbon Trust to implement further improvement changes to our Operations.

Maine has ISO 9001 accreditation and is committed to providing customers leading edge solutions that use innovative processes and demonstrate continual improvement in all business activities. We monitor and adhere to all relevant regulations, codes of practice and customer requirements. We maintain and continually update systems and procedures to ensure that we comply with legislation and other requirements.

The Raw Material

97% of Maine storage is made from steel supplied by Corus - a British company with a strong environmental record. Steel is 100% recyclable and with 40% of all steel production currently being recycled it is the world's most recycled material. It can be recycled again and again without any degradation in terms of properties and performance and the recycling process, which involves re-melting of scrap, uses around one third of the energy required to produce steel from primary sources. The steel parts that make up our storage units are produced with high-laser cutting machinery, a precise process that ensures minimal waste.

The Finish

Powder Coating is a more environmentally friendly process than solvent based wet-paint systems as the process avoids the use of solvents. The powder coating process is carried out within self-contained powder spray booths with full reclaim facilities, eliminating the escape of powder particles to the environment, reducing both the quantity of powder required and waste powder on completion of individual contracts.

Carbon Footprint

Maine recognised at an early stage that all manufacturing processes have a direct effect on the environment. Energy use from businesses in the UK account for over 40% of GHG (Green House Gasses) and we are committed to playing our part in reducing our percentage, we are actively making efforts to reduce this in years to come through our Environmental Continuous Improvement Programme. In order to reduce our carbon footprint we have analysed the carbon footprint of our products and manufacturing processes using an analysis model produced and endorsed by BCFA (British Contract Furniture Association).

The environment concerns us all. Working together we can ensure a safer world for a future generation.

Maine's manufacturing facilities are accredited to BS EN 9001: 2000 which is a reflection of our dedicated approach to quality.

Maine's storage products are certified to the highest British Standard tests for strength and stability, our accreditations include:

BS 4875 part 7, test level 4

ISO 7170 test level 4

BS 4875 part 8

BS 5459 part 1

BS EN 14073-2: 2004 part 2

BS EN 14074: 2004 part 3 (runners / glides)

BS 5459 - 3 1983 FIRA (Furniture Industry Research Association)

Mainstream products have a 10 year manufacturer's warranty and this underwrites both product quality and commitment to continuity of supply, which with the company's ability to modify during manufacture, makes Maine the leading provider of storage solutions in the UK.



The weight fixed to the inside of a unit to provide additional stability when fully loaded.

Counterbalance weight

The lock plug which has metal wafers (bits) on both sides of the channel into which the keys fits and its corresponding key which has teeth on both sides of it's blade. The double-bit system provides greater security.

Double-bit lock

The panel which is incorporated into a unit to complete the available filing height when no insert is required, or available. Fillers (2 pitch - 62mm) are required when a centre lock is specified.

Filler panel

The unobstructed available height of filing or storage within a drawer or on a shelf.

Filing clearance height

The pair of supports that fit into a roll-out shelf or drawer and suspend files and computer print-outs. These are available for side-to-side and front-to-back filing.

Folder bars

Ganging

The bolting together of units when installed side-to-side, making each unit stable.

Levelling glides

Adjustable feet which screw into the bottom of a unit base, adjusting the level and height of a unit. Fitted as standard.

Interlock mechanism

The safety mechanism fitted into all units to prevent the opening of more than one drawer at a time and the possibility of the unit tipping, sometimes referred to as an anti-tilt mechanism.

Nominal size

The working dimension, which may vary from the dimension shown on the drawing.

Runners

The support and roller mechanisms on which a roll-out shelf or drawer operates, sometimes called 'slides or suspensions'.

Quality standard

Maine are accredited with the quality approval level for BS EN ISO 9001.

maine storage & filing

40 Barton road, Water Eaton Industrial Estate

Milton Keynes MK2 3LJ England

T. 01908 271688 F. 01908 625568

sales@maine.co.uk www.maine.co.uk

